



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

Routine Food

Los Mexicanos LLC
El Paisa II
6901 W Brown Deer Rd
Milwaukee, WI

2/9/2009

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Code Number	Description of Violation	Correct By
2-401.11	Open soda bottle in the kitchen area. No open beverages allowed. Employee's may drink from covered containers with straw or screw on tops.	2/23/2009
4-501.111	The sink set up for manual warewashing was incorrect. The proper sink set up from left to right is prewash, wash, rinse and sanitize compartments. Ensure employees are setting up the warewashing sinks correctly.	2/23/2009
5-205.11	The prewash compartment of the warewashing sinks is also a handwashing sink. The sink basin was full of dishes. Keep the sink available for handwashing at all times. Do not keep dishes in the sink basin.	2/23/2009
6-501.18	The front handwashing sink does not have any water flow out of the "cold" faucet. Restore water flow to this sink. There must be both and cold water at every sink.	2/23/2009

Notes:

On 2/9/2009, I served these orders upon Los Mexicanos LLC by leaving this report with

Inspector Signature (Inspector ID:4)

Operator Signature